

C2C Certified Material Health Certificate™ GOLD LEVEL

ISSUED TO CHT Germany GmbH

Gold Textile Dyeing Auxiliaries by CHT

STANDARD VERSION 4.0

EFFECTIVE DATE 3 August 2022

EXPIRATION DATE 9 April 2025

LEAD ASSESSMENT BODY

EPEA GmbH - Part of Drees & Sommer

PHASES AND PROCESSES CONSIDERED IN THE CHEMICAL TOXICITY ASSESSMENT

Manufacturing (mixing/blending, heating, cooling, filling, preceding synthesis); Professional use; Use (textile applications); Intended end of use: recycling, release to the environment via wastewater treatment plant; Unintended end of use: landfilling, incineration, uncontrolled burning, release to the environment

PRODUCTS COVERED

BEIZYM SPELL, BIAVIN TCC, CHT-CATALASE BF, CHT-DISPERGATOR SMS, COLORCONTIN VGP, HEPTOL SF4, MEROPAN DPE, MEROPAN EF 150, MEROPAN EW, MEROPAN KP, MEROPAN RLS, MEROPAN XR GRANULAT, REDULIT GIN, REDULIT SD-2, SARABID IPD, SARABID MIP, SARABID OL, SARABID TS 300, Si-CONTROL KKV

This product range was assessed exclusively for use by professional textile manufacturers trained in the proper handling and use of protective equipment for sensitizing and/or corrosive and/or irritating chemicals. The requirements for certification have only been met under these conditions.

PRODUCT OPTIMIZATION SUMMARY

- Cradle to Cradle Certified Restricted Substances List compliant
- Material Health optimization strategy not required
- No exposure to EU CLP Category 1 & 2 Carcinogens, Mutagens and Reproductive toxicants or Substances of Very High Concern; Carbon-bonded halogens are <1% of each material (exemptions apply)
- VOC emissions testing not required
- VOC content requirements not applicable
- Product is optimized for material health (no grey or x-assessed chemicals)
- Process chemicals are assessed and optimized
- Actions taken to reduce and eliminate emissions of hazardous chemicals in the product's supply chain

PERCENTAGE ASSESSED

100%


Percentage assessed is a weighted average based on the lower of the percentage of chemical substances assessed by number or by weight for each material

Inventory threshold for chemicals in each material = 100 ppm

ASSESSMENT RATINGS



PRODUCT OPTIMIZATION



C2C Certified Material Health Certificate™ GOLD LEVEL

ISSUED TO CHT Germany GmbH

Gold Textile Dyeing Auxiliaries by CHT

STANDARD VERSION 4.0

EFFECTIVE DATE 30 January 2023

EXPIRATION DATE 29 January 2026

LEAD ASSESSMENT BODY

MBDC

PHASES AND PROCESSES CONSIDERED IN THE CHEMICAL TOXICITY ASSESSMENT

Manufacturing; Professional use; Use (textile applications); Intended end of use: recycling, release to the environment via wastewater treatment plant; Unintended end of use: landfilling, incineration, uncontrolled burning, release to the environment

PRODUCTS COVERED

BIAVIN BPA, COTOBLANC SEL, MIGRASOL SAP, REVOFIX WET, SARABID SPIDER, EGASOL 21

These products were assessed exclusively for use by professional workers trained in the proper handling and use of protective equipment for sensitizing textile auxiliaries. The requirements for certification have only been met under these conditions.

PRODUCT OPTIMIZATION SUMMARY

- Cradle to Cradle Certified Restricted Substances List compliant
- Material Health optimization strategy not required
- No exposure to EU CLP Category 1 & 2 Carcinogens, Mutagens and Reproductive toxicants or Substances of Very High Concern; Carbon-bonded halogens are <1% of each material (exemptions apply)
- VOC emissions testing not required
- VOC content requirements not applicable
- Product is optimized for material health (no grey or x-assessed chemicals)
- Process chemicals are assessed and optimized
- Actions taken to reduce and eliminate emissions of hazardous chemicals in the product's supply chain


PERCENTAGE ASSESSED

100%


Percentage assessed is a weighted average based on the lower of the percentage of chemical substances assessed by number or by weight for each material

Inventory threshold for chemicals in each material = 100 ppm

ASSESSMENT RATINGS



PRODUCT OPTIMIZATION





Silver Textile Dyeing Auxiliaries by CHT

ISSUED TO CHT Germany GmbH

STANDARD 3.1

EXPIRES 14 September 2023

LEAD ASSESSMENT BODY

MBDC

PHASES AND PROCESSES CONSIDERED IN THE CHEMICAL TOXICITY ASSESSMENT

Manufacturing, professional use; Intended end of use: release to the environment; Unintended end of use: landfilling, incineration, uncontrolled burning

PRODUCTS COVERED

Textile Dyeing Auxiliaries: BIAVIN BPA, COTOBLANC SEL, MIGRASOL SAP, REVOFIX WET, REWIN ACP, SARABID IPF and PAFIX No2

PRODUCT OPTIMIZATION SUMMARY


- Cradle to Cradle Certified*® Banned List compliant
- Material Health optimization strategy developed
- No exposure from carcinogens, mutagens, or reproductive toxicants
- Meets VOC emissions testing requirements
- Product is fully optimized - does not contain any GREY or x-assessed chemicals
- Process chemicals have been identified and none are GREY or x-assessed

PERCENTAGE OF
CHEMICAL SUBSTANCES
ASSESSED BY WEIGHT

100%


Inventory threshold for chemicals in
each material = 100 ppm

ASSESSMENT RATINGS
BY WEIGHT



% CHEMICAL SUBSTANCES

PRODUCT
OPTIMIZATION



42 CHEMICAL SUBSTANCES

Material Health Certificate Guide

The Material Health Certificate is awarded to products assessed against the requirements in the Material Health category of the *Cradle to Cradle Certified*® Product Standard. The Material Health achievement level (Basic, Bronze, Silver, Gold, or Platinum) is shown in the certificate's upper right corner. A Material Health Certificate does not indicate that a product is *Cradle to Cradle Certified*®, which requires assessment against all five Standard categories.

The *Cradle to Cradle Certified*® Material Health Assessment Methodology is a contextual assessment based on chemical hazard identification and qualitative exposure considerations during a product's final manufacture, use, and end-of-use. The exposure assessment is highly simplified and more conservative compared to a conventional, quantitative risk assessment.

Definitions of Administrative Fields

Field	Definition
Issued To	Company that sells the assessed product(s).
Assessed By	Assessment Body responsible for conducting the product assessment.
Expires	Date the certificate expires. Certificate renewal is required biennially.
Standard	Version of the Standard (Material Health subsection only) the product was assessed against.
Phases and Processes Assessed	Manufacturing, use, and end-of-use phases and processes that the assessor considered in the exposure portion of the Material Health assessment. Assessment results are only valid for those listed.
Products Covered	Products included in the scope of the certificate. Certificates may cover multiple product variations.

Definitions of Product Optimization Summary Fields

***Cradle to Cradle Certified*® Banned List compliant**

The product's materials are not known to contain chemicals on the Banned Lists of Chemicals above permitted thresholds.

Material Health optimization strategy developed

Plan developed to phase out x assessed chemicals and assess GREY content.

No exposure from carcinogens, mutagens, or reproductive toxicants

Assessed materials do not contain carcinogens, mutagens, or reproductive toxicants with plausible exposure routes.

Meets VOC emissions testing requirements

The product meets the volatile organic compound (VOC) emissions testing requirements described in the Standard.

Does not contain any GREY or x-assessed chemicals; product is fully optimized

The product's materials contain chemicals with only a, b, or c risk ratings (no GREY or x). (Note: In the *Cradle to Cradle Certified*® Material Health Assessment Methodology, chemicals in each material are assigned a, b, c, x, or GREY risk ratings. Each material is then assigned an A, B, C, X, or GREY final assessment rating based on the risk ratings of its constituent chemicals. The following table explains the rating system.)

a or b (A or B)	Optimal
c (C)	Moderately problematic, but acceptable for use
x (X)	Highly problematic; targeted for phase out
GREY	Considered unassessed due to unknown identity or lack of toxicity information

Process chemicals have been identified and none are GREY or x-assessed

All process chemicals have been assessed and received an a, b, or c risk rating (no x-assessed or GREY).

Percentage Assessed by Weight

For single-material products, the cumulative percentage of assessed chemicals (a, b, c, and x). For other products, the cumulative percentage of assessed materials (A, B, C, and X). When a certificate represents a group of products, a percent range is shown.

Assessment Ratings by Weight

For single-material products, the percentage of a or b (shown in green), c (shown in yellow), and x (shown in red) assessed chemicals. For other products, the percentage of A or B (shown in green), C (shown in yellow), and X (shown in red) assessed materials. When a certificate represents a group of products, percent ranges are shown.

Product Optimization

Number of materials (or chemical substances for single-material products and multi-material product groups with uncountable color variations) assigned each assessment rating.



Bronze Textile Dyeing Auxiliaries by CHT

ISSUED TO CHT Germany GmbH

STANDARD 3.1

EXPIRES 14 September 2023

LEAD ASSESSMENT BODY

MBDC

PHASES AND PROCESSES CONSIDERED IN THE CHEMICAL TOXICITY ASSESSMENT

Manufacturing, professional use; Intended end of use: release to the environment; Unintended end of use: landfilling, incineration, uncontrolled burning

PRODUCTS COVERED

Textile Dyeing Auxiliaries: KOLLASOL CDS, DISPERGATOR XHT-S, PAFIX NO 1, SARABID IPM, and COLORCONTIN BDF

PRODUCT OPTIMIZATION SUMMARY


- Cradle to Cradle Certified*® Banned List compliant
- Material Health optimization strategy developed
- No exposure from carcinogens, mutagens, or reproductive toxicants
- Meets VOC emissions testing requirements
- Product is fully optimized - does not contain any GREY or x-assessed chemicals
- Process chemicals have been identified and none are GREY or x-assessed

PERCENTAGE OF
 CHEMICAL SUBSTANCES
 ASSESSED BY WEIGHT


100%

Inventory threshold for chemicals in
 each material = 100 ppm

ASSESSMENT RATINGS
 BY WEIGHT



PRODUCT
 OPTIMIZATION



48 CHEMICAL SUBSTANCES

Material Health Certificate Guide

The Material Health Certificate is awarded to products assessed against the requirements in the Material Health category of the *Cradle to Cradle Certified*® Product Standard. The Material Health achievement level (Basic, Bronze, Silver, Gold, or Platinum) is shown in the certificate's upper right corner. A Material Health Certificate does not indicate that a product is *Cradle to Cradle Certified*®, which requires assessment against all five Standard categories.

The *Cradle to Cradle Certified*® Material Health Assessment Methodology is a contextual assessment based on chemical hazard identification and qualitative exposure considerations during a product's final manufacture, use, and end-of-use. The exposure assessment is highly simplified and more conservative compared to a conventional, quantitative risk assessment.

Definitions of Administrative Fields

Field	Definition
Issued To	Company that sells the assessed product(s).
Assessed By	Assessment Body responsible for conducting the product assessment.
Expires	Date the certificate expires. Certificate renewal is required biennially.
Standard	Version of the Standard (Material Health subsection only) the product was assessed against.
Phases and Processes Assessed	Manufacturing, use, and end-of-use phases and processes that the assessor considered in the exposure portion of the Material Health assessment. Assessment results are only valid for those listed.
Products Covered	Products included in the scope of the certificate. Certificates may cover multiple product variations.

Definitions of Product Optimization Summary Fields

***Cradle to Cradle Certified*® Banned List compliant**

The product's materials are not known to contain chemicals on the Banned Lists of Chemicals above permitted thresholds.

Material Health optimization strategy developed

Plan developed to phase out x assessed chemicals and assess GREY content.

No exposure from carcinogens, mutagens, or reproductive toxicants

Assessed materials do not contain carcinogens, mutagens, or reproductive toxicants with plausible exposure routes.

Meets VOC emissions testing requirements

The product meets the volatile organic compound (VOC) emissions testing requirements described in the Standard.

Does not contain any GREY or x-assessed chemicals; product is fully optimized

The product's materials contain chemicals with only a, b, or c risk ratings (no GREY or x). (Note: In the *Cradle to Cradle Certified*® Material Health Assessment Methodology, chemicals in each material are assigned a, b, c, x, or GREY risk ratings. Each material is then assigned an A, B, C, X, or GREY final assessment rating based on the risk ratings of its constituent chemicals. The following table explains the rating system.)

a or b (A or B)	Optimal
c (C)	Moderately problematic, but acceptable for use
x (X)	Highly problematic; targeted for phase out
GREY	Considered unassessed due to unknown identity or lack of toxicity information

Process chemicals have been identified and none are GREY or x-assessed

All process chemicals have been assessed and received an a, b, or c risk rating (no x-assessed or GREY).

Percentage Assessed by Weight

For single-material products, the cumulative percentage of assessed chemicals (a, b, c, and x). For other products, the cumulative percentage of assessed materials (A, B, C, and X). When a certificate represents a group of products, a percent range is shown.

Assessment Ratings by Weight

For single-material products, the percentage of a or b (shown in green), c (shown in yellow), and x (shown in red) assessed chemicals. For other products, the percentage of A or B (shown in green), C (shown in yellow), and X (shown in red) assessed materials. When a certificate represents a group of products, percent ranges are shown.

Product Optimization

Number of materials (or chemical substances for single-material products and multi-material product groups with uncountable color variations) assigned each assessment rating.